



## SP-VL Steel Sheet Piling

### COMBINED PILE PROPERTIES

SERIES	UNIT WIDTH W [in] (mm)	HEIGHT H [in] (mm)	THICKNESS t [in] (mm)	MASS [lb/ft] (kg/m)	MASS [lb/ft <sup>2</sup> ] (kg/m <sup>2</sup> )	TOTAL MODULUS [in <sup>2</sup> /ft] (cm <sup>2</sup> /m)	TOTAL MOMENT OF INERTIA [in <sup>4</sup> /ft] (cm <sup>4</sup> /m)	Coating Area both sides [ft <sup>2</sup> /ft] (m <sup>2</sup> /m)
SP-VL	<b>19.69</b> (500)	<b>15.75</b> (400)	<b>0.957</b> (24.3)	<b>70.56</b> (105)	<b>43.02</b> (210)	<b>58.59</b> (3150)	<b>461.34</b> (63000)	<b>3.50</b> (3.50)

O			
N			
M			
L			
K			
J			
I			
H			
G			
F			
E			
D			
C			
B			
A			
Issue	Revision	Date	Initial

Notes:

ESC Client:

Project Title:



Drawing Title:  
**SP-VL Steel Sheet Piling**

Stamp: \_\_\_\_\_ Signature: \_\_\_\_\_

<b>SHOP DRAWING</b>			
Designed LLI	Drawn LLI	Checked BILL	Rev.
Scale 1:10 (A4)	Date 20-12-2012	Job No.	